



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/721,242	11/26/2003	Walter C. Dietrich JR.	YOR920030297US1	6112
48150 7590 08/04/2009 MCGINN INTELLECTUAL PROPERTY LAW GROUP, PLLC 8321 OLD COURTHOUSE ROAD SUITE 200 VIENNA, VA 22182-3817				
EXAMINER				
WANG, BEN C				
ART UNIT		PAPER NUMBER		
2192				
MAIL DATE		DELIVERY MODE		
08/04/2009		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**Office Action Summary****Application No.**

10/721,242

**Applicant(s)**

DIETRICH ET AL.

**Examiner**

BEN C. WANG

**Art Unit**

2192

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 08 April 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-39 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-39 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SF/ICE)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

1. Applicant's amendment dated April 8, 2009, responding to the Office action mailed January 8, 2009 provided in the rejection of claims 1-39, wherein claims 4, 9, 19 and 31 have been amended.

Claims 1-39 remain pending in the application and which have been fully considered by the examiner.

Applicant's arguments with respect to claims currently amended have been fully considered but are moot in view of the new grounds of rejection – see APA (Applicant's Admitted Prior Art) and *Adams et al.* - arts made of record, as applied hereto.

***Claim Rejections – 35 USC § 103(a)***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 23, 25, 27, 29-30, 32, and 35-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Paul A. Below et al. (Pat. No. US 7,213,234 B1) (hereinafter 'Below') in view of Applicant's admitted prior art (line 13, page 16 through line 3, page 17) - hereinafter 'APA' - art made of record)

Art Unit: 2192

3. **As to claim 23** (Previously Presented), Below discloses an apparatus to estimate at least one of a cost and an amount of necessary resources for an effort related to computer software development, computer software maintenance, and information technology services, said apparatus comprising:

- a memory to store a computer code involved in an effort related to software development; and
- a sampling module to allow said computer code to be sampled in accordance with a sampling technique (e.g., Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample)

Further, Below discloses a system, method, and computer program product for estimating the function point count for a software application or portfolio; and results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate (e.g., Abstract) but does not explicitly disclose other limitations stated below.

However, APA discloses a graphic user interface to allow said computer code to be selected and categorized into categories of complexity (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in

Art Unit: 2192

the art that the complexity estimates could also automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of APA into the Below's system to further provide other limitations stated above in the Below system.

The motivation is that it would further enhance the Below's system by taking, advancing and/or incorporating the APA's system which offers advantages of commercially available programs that could be used or modified for the categorization function as once suggested by APA (e.g., Line 13, P. 16 through Line 3, P. 17)

4. **As to claim 25** (Previously Presented), Below discloses a computer readable storage medium tangibly embodying a program of machine-readable instructions executable by a digital processing apparatus to perform a method of estimating at least one of a cost and a necessary amount of resources for an effort related to computer software development, computer software maintenance, and information technology services, said method comprising:

- reading a section of computer code;

- sampling said computer code in accordance with a sampling technique (e.g., Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample); and
- using said sampling to calculating said at least one of cost and amount of resources for a larger subset of the computer code from said computer code from said sampling (e.g., Col. 4, Lines 26-29 – in general, larger samples result in smaller confidence intervals for a given probability level; the challenge is to select the smallest sample (least cost) that will result in an acceptable confidence interval; Col. 4, Lines 19-22 – a confidence interval for the means is an estimate interval constructed with respect to the sample means, with a specified likelihood that the interval includes the value of the population mean),
- wherein said sampling, and said calculating is executed on a computer (e.g., Col. 3, Lines 8-10 – the preferred embodiment provides a system, method, and computer program product for estimating the function point count of a software application or portfolio)

Further, Below discloses a system, method, and computer program product for estimating the function point count for a software application or

Art Unit: 2192

portfolio; and results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate (e.g., Abstract) but does not explicitly disclose other limitations stated below.

However, APA discloses categorizing at least one computer code sampling into categories of complexity (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in the art that the complexity estimates could also automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of APA into the Below's system to further provide other limitations stated above in the Below system.

The motivation is that it would further enhance the Below's system by taking, advancing and/or incorporating the APA's system which offers advantages of commercially available programs that could be used or modified for the categorization function as once suggested by APA (e.g., Line 13, P. 16 through Line 3, P. 17)

5. **As to claim 27** (Previously Presented), Below discloses an apparatus to estimate a cost for an effort related to computer software development, computer software maintenance, and information technology services, said apparatus comprising:

- means for storing a computer code involved in an effort related to software development;
- means for allowing said computer code to be selected; and
- means for allowing said computer code to be sampled in accordance with a sampling technique (e.g., Col. 3, Lines 8-10 – the preferred embodiment provides a system, method, and computer program product for estimating the function point count of a software application or portfolio; Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample)

Further, Below discloses a system, method, and computer program product for estimating the function point count for a software application or portfolio; and results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate (e.g., Abstract) but does not explicitly disclose other limitations stated below.



Art Unit: 2192

However, APA discloses means for categorizing sampled computer code into categories of complexity (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in the art that the complexity estimates could also automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®); and Below further discloses means for calculating a cost for said sampled computer code (e.g., Col. 3, Lines 8-14 - ... for estimating the function point count of a software application or portfolio. Strata are defined, and random samples are chosen for a function point count ...)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of APA into the Below's system to further provide other limitations stated above in the Below system.

The motivation is that it would further enhance the Below's system by taking, advancing and/or incorporating the APA's system which offers advantages of commercially available programs that could be used or modified for the categorization function as once suggested by APA (e.g., Line 13, P. 16 through Line 3, P. 17)

6. **As to claim 29** (Original) (incorporating the rejection in claim 27), Below discloses the apparatus according further comprising:

- means for calculating cost for a larger subset of the computer code (e.g., Col. 4, Lines 26-29 – in general, larger samples result in smaller confidence intervals for a given probability level; the challenge is to select the smallest sample (least cost) that will result in an acceptable confidence interval; Col. 4, Lines 19-22 – a confidence interval for the means is an estimate interval constructed with respect to the sample means, with a specified likelihood that the interval includes the value of the population mean) from computer code from said sampling (e.g., Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample)

7. **As to claim 30** (Original) (incorporating the rejection in claim 29), Below discloses the apparatus further comprising:

- means for calculating at least one of a risk probability and an estimation precision for said cost (e.g., Col. 4, Lines 26-29 – in general, larger samples result in smaller confidence intervals for a given probability level; the challenge is to select the smallest sample

(least cost) that will result in an acceptable confidence interval; Col. 4, Lines 19-22 – a confidence interval for the means is an estimate interval constructed with respect to the sample means, with a specified likelihood that the interval includes the value of the population mean)

8. **As to claim 32** (Previously Presented), Below discloses an apparatus to estimate an amount of necessary resources for an effort related to computer software development, computer software maintenance, and information technology services, said apparatus comprising:

- means for storing a computer code involved in an effort related to software development;
- means for allowing said computer code to be selected; and
- means for allowing said computer code to be sampled in accordance with a sampling technique (e.g., Col. 3, Lines 8-10 – the preferred embodiment provides a system, method, and computer program product for estimating the function point count of a software application or portfolio; Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample)

Further, Below discloses a system, method, and computer program product for estimating the function point count for a software application or portfolio; and results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate (e.g., Abstract) but does not explicitly disclose other limitations stated below.

However, APA discloses means to allow said computer code sampling to be categorized into categories of complexity (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in the art that the complexity estimates could also be automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®); and Below further discloses means to calculate necessary resource based on said computer code sampling (e.g., Col. 3, Lines 8-14 - ... for estimating the function point count of a software application or portfolio. Strata are defined, and random samples are chosen for a function point count ...)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of APA into the Below's system to further provide other limitations stated above in the Below system.

The motivation is that it would further enhance the Below's system by taking, advancing and/or incorporating the APA's system which offers advantages of commercially available programs that could be used or modified for the categorization function as once suggested by APA (e.g., Line 13, P. 16 through Line 3, P. 17)

9. **As to claim 35** (Original) (incorporating the rejection in claim 32), Below discloses the apparatus further comprising:

- means for calculating at least one of a risk probability and an estimation precision for amount of necessary resources (e.g., Col. 4, Lines 26-29 – in general, larger samples result in smaller confidence intervals for a given probability level; the challenge is to select the smallest sample (least cost) that will result in an acceptable confidence interval; Col. 4, Lines 19-22 – a confidence interval for the means is an estimate interval constructed with respect to the sample means, with a specified likelihood that the interval includes the value of the population mean)

10. **As to claim 36** (Previously Presented) (incorporating the rejection in claim 32), APA discloses the apparatus, wherein said means for allowing said computer code to be categorized allows each computer sampling to be categorized into one of N complexity, N being an integer greater than 1 (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of

ordinary skill in the art that the complexity estimates could also automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be **used or modified for the categorization function**. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®)

11. Claims 1-8, 21-22, 37, and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ramil et al. (*Cost Estimation and Evolvability Monitoring for Software Evolution Processes*, Oct., 2000, WESS 2000 Workshop on *Empirical Studies of Software Maintenance*) (hereinafter 'Ramil') in view of Below, APA, and Adams et al. (Pub. No. US 2003/0070157 A1) (hereinafter 'Adams' - art made of record).

12. **As to claim 1** (Previously Presented), Ramil discloses a method of estimating a cost related to at least one of computer software development, computer software maintenance, and information technology services (e.g., Sec. 1 – Introduction, Lines 1-5 – Software evolution is a continuing process that encompasses no only *ab initio* development but all activities, enhancement, adaptation or fixing, that occurs after the first operational release; however, in the present paper we consider only the post first release portion of the evolutionary process; this includes projects for enhancement and adaptation of a current software system and subsumes its maintenance, however the latter id defined;

parenthetically we note that, in general and for several reasons, the term evolution is to be preferred to maintenance in the context of software for post first release activity), said method comprising:

- wherein at least one of said reading, said sampling, and said calculating is executed on a computer (e.g., Fig. 2 – A Model-based Scheme for Change Detection; Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par. – the general idea of such approaches is illustrated in Fig. 2; the change detection scheme, which may involve a model calibrated and believed to represent the evolution process, is run ‘in parallel’ with the real process it models; the inputs and outputs of the process are statically compared to model’s prediction; a significant change in evolvability (or other key parameter) detected by such a scheme any prompt, for example, the need for process revision, major restructuring of the evolving software or even software replacement)

Further, Ramil discloses statistical comparison to model’s prediction (e.g., Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par.), but does not explicitly disclose:

- reading a sample of computer code in accordance with a sampling technique;

However, in an analogous art of *system and method for function point sampling for software size estimates*, Below discloses:

- reading a sample of computer code in accordance with a sampling technique (e.g., Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a

portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample); and

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Below into the Ramil's system to further provide the followings in Ramil system:

- reading a sample of computer code in accordance with a sampling technique;

The motivation is that it would further enhance the Ramil's system by taking, advancing and/or incorporating Below's system which offers significant advantages for providing a system, method, and computer program product for estimating the function point count of a software application or portfolio as once suggested by Below (e.g., Col. 2, Lines 1-13)

Further, Below discloses a system, method, and computer program product for estimating the function point count for a software application or portfolio; and results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate (e.g., Abstract) but Ramil and Below do not explicitly disclose other limitations stated below.

However, APA discloses categorizing samples of at least one computer sampling into categories of complexity; and categorizing at least one computer



Art Unit: 2192

sampling (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in the art that the complexity estimates could also automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Adams into the Ramil-Below's system to further provide other limitations stated above in the Ramil-Below system.

The motivation is that it would further enhance the Ramil-Below's system by taking, advancing and/or incorporating the APA's system which offers advantages of commercially available programs that could be used or modified for the categorization function as once suggested by APA (e.g., Line 13, P. 16 through Line 3, P. 17)

Furthermore, APA discloses how to perform the categorization function (e.g., Line 13, P. 16 through Line 3, P. 17), but Ramil, Below, and APA do not explicitly disclose other limitations stated below.

However, in an analogous art of *Method and System for Estimating Software Maintenance*, Adams discloses:

- calculating a cost for a larger subset of the computer code from said sampling (e.g., [0013] - ... estimating the effort and cost for maintaining a software application ... wherein the system and method take into account maintenance complexities that may result in added effort and cost; Fig. 9, elements 910 – Estimate Size; 920 – Estimate Effort; [0047] - ... Each tallied item is weighted according to its individual complexity. The weighted sum of function points is then adjusted with a multiplier, decreasing, maintaining or increasing the total according to the intricacy of the system ...; [0049] - Using the backfire methodology and a programming language conversion table, source lines of code may be converted into function point equivalents for each programming language utilized. Such tables typically provide conversion factors based on historical evidence, and may take into account system size and complexity ...; [0053] - A significant aspect of the present invention is that after the initial system sizing, sizes of new modifications may be determined using IFPUG function point standards, without backfiring ...; [0065] – The risk driven approach uses ratings and weights determined by evaluating maintenance system properties and accounting for maintenance complexities, to compute an effort multiplier ...; [0082] - ... the size is determined in function points using industry standard IFPUG (International Function Point User Group) function point counting practices that take into account application size and complexity ...)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Adams into the Ramil-Below-APA's system to further provide other limitations stated above in the Ramil-Below-APA system.

The motivation is that it would further enhance the Ramil-Below-APA's system by taking, advancing and/or incorporating the Adams' system which offers advantages for estimating the effort required to maintain software systems, particularly legacy systems, for examples multiple development languages may have been used to create different applications with the systems; and addressing the full range of maintenance tasks over the life cycle of a system as once suggested by Adams (e.g., [0002]; [0008]; [0009])

13. **As to claim 2** (Original) (incorporating the rejection in claim 1), Ramil discloses the method wherein said cost is for at least one of:

- porting said software to another platform;
- maintenance of said software;
- application portfolio management of said software; and
- legacy transformation of said software (e.g., Sec. 1 – Introduction, Lines 1-5 – Software evolution is a continuing process that encompasses not only *ab initio* development but *all* activities, enhancement, adaptation or fixing, that occurs after the first operational release; however, in the present paper we consider only the post first release portion of the evolutionary process; this includes projects for enhancement and adaptation of a

current software system and subsumes its maintenance, however the latter is defined; parenthetically we note that, in general and for several reasons, the term evolution is to be preferred to maintenance in the context of software for post first release activity)

14. **As to claim 3** (Original) (incorporating the rejection in claim 1), Below discloses the method further comprising at least one of:

- calculating a variability of said cost due to sampling error (e.g., Col. 4, Lines 26-41); and
- calculating a probability that said cost will be lower than the cost that would have been estimated by using a sample including 100% of the code (e.g., Col. 4, Lines 26-29 – in general, larger samples result in smaller confidence intervals for a given probability level; the challenge is to select the smallest sample (least cost) that will result in an acceptable confidence interval; Col. 4, Lines 19-22 – a confidence interval for the means is an estimate interval constructed with respect to the sample means, with a specified likelihood that the interval includes the value of the population mean)

15. **As to claim 4** (Currently Amended) (incorporating the rejection in claim 1), APA discloses the method and the apparatus wherein said categorizing at least one computer sampling comprises:

categorizing each computer sampling into one of N categories of complexity (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in the art that the complexity estimates could also automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®, N being an integer greater than 1, and Adams further discloses wherein said cost calculation comprises:

$$Cost = \left( \sum_x C_x \times I_x \right) \times \left( \frac{TotalSize}{SamplingSize} \right)$$

where  $C_x$  is an estimation of cost for complexity category  $x$ ,  $I_x$  is a complexity estimate for category  $x$ , TotalSize is a total size of the source code, and SamplingSize is a size of the computer samplings, where  $1 \leq x \leq N$  (e.g., (e.g., [0013] - ... estimating the effort and cost for maintaining a software application ... wherein the system and method take into account maintenance complexities that may result in added effort and cost; Fig. 9, elements 910 – Estimate Size; 920 – Estimate Effort; [0047] - ... Each tallied item is weighted according to its individual complexity. The weighted sum of function points is then adjusted with a multiplier.

decreasing, maintaining or increasing the total according to the intricacy of the system ...)

16. **As to claim 5** (Original) (incorporating the rejection in claim 1), Ramil discloses the method further comprising:

- reading into a computer at least one of a rule by which said sampling is to be executed, and cost parameters to be used for said calculating (e.g., Sec. 2 – Cost Estimation in the Evolution Context – their parameters are to be estimated, i.e., the model calibrated, by using empirical data at various levels of aggregation)

17. **As to claim 6** (Original) (incorporating the rejection in claim 4), Below discloses the method wherein said categorizing comprises at least one of:

- a user-assisted technique in which a user enters a category for each said sampled computer code lines; and
- an automated technique in which a software tool parses each said sampled computer code line and generates a category for each parsed computer code line (e.g., Col. 3, Lines 12-14 – Results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate; Lines 60-61 - ... allows for computation of statistical confidence levels; Col. 4, Lines 19-45 - A confidence interval for the means is an estimate interval constructed with respect to the sample mean, with a specified likelihood that the interval includes the value of the

population means ... z is the value used for the specified level of confidence ... The most frequently used confidence intervals are 90, 95 and 99 percent intervals. For situations where additional risk is an acceptable tradeoff, we use an 80 percent confidence interval; Col. 5, Line 57 – Calculate Confidence Intervals (e.g., an automated technique) through Col. 6, Line 62 - ... Compute the confidence intervals, which can be expressed for each strata as well as for the pooled sample ... modify the confidence level (e.g., a user-assisted technique) and accept the additional risk that the actual result would fall outside the confidence interval ... The sample size will be driven by the precision and the level of confidence required by management)

18. **As to claims 7** (Original) (incorporating the rejection in claim 1), Below discloses the method wherein sample is taken using at least one of:

- simple random sampling (e.g., Col. 2, Lines 9-11 – Strata are defined, and random samples are chosen for a function point count);
- cluster sampling (e.g., Col. 5, Lines 8-11 – another possibility is to use cluster sampling; cluster sampling is a type of random sampling in which the population items occur naturally in subgroups; entire subgroups are randomly sampled); and
- stratified sampling (e.g., Col. 3, Lines 62-65 – In stratified sampling, the units in the sampling frame are classified into separate subgroups, or

Art Unit: 2192

strata, on the basis of on or more important characteristics; determining which characteristic, if any, are important is somewhat of an art)

19. **As to claim 8** (Original) (incorporating the rejection in claim 1), Below discloses the method wherein the sample includes at least one of:

- a line of code;
- a file or module from an application or set of applications;
- an initial part of a file or a module from an application or set of applications; and
- an application from a set of applications (e.g., Col. 3, Line 8 through Col. 4, Lines 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size for a large portfolio as well as on large applications)

20. **As to claim 21** (Previously Presented), Ramil discloses a business method comprising at least one of: estimating a necessary amount of resources for an effort related to at least one of computer software development and information technology (IT) services, said estimating method comprising: (e.g., Fig. 2 – A Model-based Scheme for Change Detection; Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par. – the general idea of such approaches is illustrated in Fig. 2; the change detection scheme, which may involve a model calibrated and



Art Unit: 2192

believed to represent the evolution process, is run 'in parallel' with the real process it models; the inputs and outputs of the process are statically compared to model's prediction; a significant change in evolvability (or other key parameter) detected by such a scheme any prompt, for example, the need for process revision, major restructuring of the evolving software or even software replacement)

Ramil discloses statistical comparison to model's prediction (e.g., Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par.), but does not explicitly disclose other limitations stated below.

However, in an analogous art of *system and method for function point sampling for software size estimates*, Below discloses sampling computer code in accordance with a sampling technique (e.g., Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample) and calculating at least one of a risk probability and an estimation precision for said estimate of amount of resources (e.g., Col. 4, Lines 26-29 – in general, larger samples result in smaller confidence intervals for a given probability level; the challenge is to select the smallest sample (least cost) that will result in an acceptable confidence interval; Col. 4, Lines 19-22 – a confidence interval for the means is an estimate

Art Unit: 2192

interval constructed with respect to the sample means, with a specified likelihood that the interval includes the value of the population mean), wherein at least one of said reading, said sampling, and said calculating is executed on a computer (e.g., Col. 3, Lines 8-10 – the preferred embodiment provides a system, method, and computer program product for estimating the function point count of a software application or portfolio); providing a result of said calculating to a party; and receiving said result of said calculating (Col. 1, Lines 37-39 – end of story for process improvement and accurate, reliable operations analysis reporting)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Below into the Ramil's system to further provide other limitations stated above in the Ramil system.

The motivation is that it would further enhance the Ramil's system by taking, advancing and/or incorporating the Below's system which offers significant advantages for providing a system, method, and computer program product for estimating the function point count of a software application or portfolio as once suggested by Below (e.g., Col. 2, Lines 1-13)

Further, Below discloses a system, method, and computer program product for estimating the function point count for a software application or portfolio; and results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate (e.g., Abstract) but Ramil and Below do not explicitly disclose other limitations stated below.

However, APA discloses categorizing at least one computer code sampling into categories of complexity (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in the art that the complexity estimates could also automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of APA into the Ramil-Below's system to further provide other limitations stated above in the Ramil-Below system.

The motivation is that it would further enhance the Ramil-Below's system by taking, advancing and/or incorporating the APA's system which offers advantages of commercially available programs that could be used or modified for the categorization function as once suggested by APA (e.g., Line 13, P. 16 through Line 3, P. 17)

Furthermore, APA discloses how to perform the categorization function (e.g., Line 13, P. 16 through Line 3, P. 17), but Ramil, Below, and APA do not explicitly disclose other limitations stated below.

However, in an analogous art of *Method and System for Estimating Software Maintenance*, Adams discloses:

- calculating said necessary amount of resources for a larger subset of the computer code from said computer code from said sampling (e.g., [0013] - ... estimating the effort and cost for maintaining a software application ... wherein the system and method take into account maintenance complexities that may result in added effort and cost; Fig. 9, elements 910 – Estimate Size; 920 – Estimate Effort; [0047] - ... Each tallied item is weighted according to its individual complexity. The weighted sum of function points is then adjusted with a multiplier, decreasing, maintaining or increasing the total according to the intricacy of the system ...; [0049] - Using the backfire methodology and a programming language conversion table, source lines of code may be converted into function point equivalents for each programming language utilized. Such tables typically provide conversion factors based on historical evidence, and may take into account system size and complexity ...; [0053] - A significant aspect of the present invention is that after the initial system sizing, sizes of new modifications may be determined using IFPUG function point standards, without backfiring ...; [0065] – The risk driven approach uses ratings and weights determined by evaluating maintenance system properties and accounting for maintenance complexities, to compute an effort multiplier ...; [0082] - ... the size is determined in function points using industry standard IFPUG (International Function

Art Unit: 2192

Point User Group) function point counting practices that take into account application size and complexity ...)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Adams into the Ramil-Below-APA's system to further provide other limitations stated above in the Ramil-Below-APA system.

The motivation is that it would further enhance the Ramil-Below-APA's system by taking, advancing and/or incorporating the Adams' system which offers advantages for estimating the effort required to maintain software systems, particularly legacy systems, for examples multiple development languages may have been used to create different applications with the systems; and addressing the full range of maintenance tasks over the life cycle of a system as once suggested by Adams (e.g., [0002]; [0008]; [0009])

21. **As to claim 22** (Original) (incorporating the rejection in claim 21), please refer to claim 20 as set forth accordingly.

22. **As to claim 37** (Original) (incorporating the rejection in claim 1), Below discloses a method for deploying computing infrastructure, comprising integrating computer-readable code into a computing system, wherein the code in combination with the computing system is capable of performing the method of claim 1 (e.g., Col. 3, Lines 8-10 – the preferred embodiment provides a system, method, and computer program product for estimating the function point count of

Art Unit: 2192

a software application or portfolio; Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample)

23. **As to claim 39** (Previously Presented), Ramil discloses a method of estimating a cost related to at least one of computer software development, computer software maintenance, and information technology services, said method comprising: (e.g., Fig. 2 – A Model-based Scheme for Change Detection; Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par. – the general idea of such approaches is illustrated in Fig. 2; the change detection scheme, which may involve a model calibrated and believed to represent the evolution process, is run 'in parallel' with the real process it models; the inputs and outputs of the process are statically compared to model's prediction; a significant change in evolvability (or other key parameter) detected by such a scheme any prompt, for example, the need for process revision, major restructuring of the evolving software or even software replacement)

Ramil discloses statistical comparison to model's prediction (e.g., Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par.), but does not explicitly disclose other limitations stated below.

However, in an analogous art of *system and method for function point sampling for software size estimates*, Below discloses:

- reading one or more samples of computer code in accordance with a sampling technique (e.g., Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Below into the Ramil's system to further provide other limitations stated above in the Ramil system:

The motivation is that it would further enhance the Ramil's system by taking, advancing and/or incorporating Below's system which offers significant advantages for providing a system, method, and computer program product for estimating the function point count of a software application or portfolio as once suggested by Below (e.g., Col. 2, Lines 1-13)

Further, Below discloses a system, method, and computer program product for estimating the function point count for a software application or portfolio; and results are analyzed and quantified, and a confidence interval is

Art Unit: 2192

determined to qualify the accuracy of the estimate (e.g., Abstract) but Ramil and Below do not explicitly disclose other limitations stated below.

However, in an analogous art of, APA discloses categorizing each computer sampling into one of N categories of difficulty, N being an integer greater than 1, wherein said categorizing comprises at least one of:

- a user-assisted technique in which a user enters a category for each said sampled computer code lines; and
- an automated technique in which a software tool parses each said sampled computer code line and generates a category for each parsed computer code line (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in the art that the complexity estimates could also automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of APA into the Ramil-Below's system to further provide other limitations stated above in the Ramil-Below system.



The motivation is that it would further enhance the Below's system by taking, advancing and/or incorporating the APA's system which offers advantages of commercially available programs that could be used or modified for the categorization function as once suggested by APA (e.g., Line 13, P. 16 through Line 3, P. 17)

Furthermore, APA discloses how to perform the categorization function (e.g., Line 13, P. 16 through Line 3, P. 17), but Ramil, Below, and APA do not explicitly disclose other limitations stated below.

However, in an analogous art of *Method and System for Estimating Software Maintenance*, Adams discloses:

- calculating a cost for a larger subset of the computer code from said sampling, wherein at least one of said reading, said sampling, and said calculating is executed on a computer (e.g., [0013] - ... estimating the effort and cost for maintaining a software application ... wherein the system and method take into account maintenance complexities that may result in added effort and cost; Fig. 9, elements 910 – Estimate Size; 920 – Estimate Effort; [0047] - ... Each tallied item is weighted according to its individual complexity. The weighted sum of function points is then adjusted with a multiplier, decreasing, maintaining or increasing the total according to the intricacy of the system ...; [0049] - Using the backfire methodology and a programming language conversion table, source lines of code may be converted into function point equivalents for each programming language utilized. Such tables

typically provide conversion factors based on historical evidence, and may take into account system size and complexity ...; [0053] - A significant aspect of the present invention is that after the initial system sizing, sizes of new modifications may be determined using IFPUG function point standards, without backfiring ...; [0065] - The risk driven approach uses ratings and weights determined by evaluating maintenance system properties and accounting for maintenance complexities, to compute an effort multiplier ...; [0082] - ... the size is determined in function points using industry standard IFPUG (International Function Point User Group) function point counting practices that take into account application size and complexity ...)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Adams into the Ramil-Below-APA's system to further provide other limitations stated above in the Ramil-Below-APA system.

The motivation is that it would further enhance the Ramil-Below-APA's system by taking, advancing and/or incorporating the Adams' system which offers advantages for estimating the effort required to maintain software systems, particularly legacy systems, for examples multiple development languages may have been used to create different applications with the systems; and addressing the full range of maintenance tasks over the life cycle of a system as once suggested by Adams (e.g., [0002]; [0008]; [0009])

Art Unit: 2192

24. Claims 9-20 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Below in view of Ramil, APA, and Adams.

25. **As to claim 9** (Currently Amended I), Ramil discloses a method of estimating necessary amounts of resources for an effort related to at least one of computer software development, computer software maintenance, and information technology services, said method comprising:

- said calculating is executed on a computer (e.g., Fig. 2 – A Model-based Scheme for Change Detection; Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par. – the general idea of such approaches is illustrated in Fig. 2; the change detection scheme, which may involve a model calibrated and believed to represent the evolution process, is run ‘in parallel’ with the real process it models; the inputs and outputs of the process are statically compared to model's prediction; a significant change in evolvability (or other key parameter) detected by such a scheme any prompt, for example, the need for process revision, major restructuring of the evolving software or even software replacement)

Ramil discloses statistical comparison to model's prediction (e.g., Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par.), but does not explicitly disclose other limitations stated below.

However, in an analogous art of *system and method for function point sampling for software size estimates*, Below discloses reading a sample of computer code in accordance with a sampling technique (e.g., Col. 3, Line 14

Art Unit: 2192

through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample).

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Below into the Ramil's system to further provide other limitations stated above in Ramil system.

The motivation is that it would further enhance the Ramil's system by taking, advancing and/or incorporating the Below's system which offers significant advantages for providing a system, method, and computer program product for estimating the function point count of a software application or portfolio as once suggested by Below (e.g., Col. 2, Lines 1-13)

Further, Below discloses a system, method, and computer program product for estimating the function point count for a software application or portfolio; and results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate (e.g., Abstract) but Ramil and Below do not explicitly disclose other limitations stated below.

However, APA discloses categorizing samples of at least one computer sampling into categories of complexity (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in the art that the complexity estimates could also automated. For example, a number of commercially

Art Unit: 2192

available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Adams into the Ramil-Below's system to further provide other limitations stated above in the Ramil-Below system.

The motivation is that it would further enhance the Ramil-Below's system by taking, advancing and/or incorporating the APA's system which offers advantages of commercially available programs that could be used or modified for the categorization function as once suggested by APA (e.g., Line 13, P. 16 through Line 3, P. 17)

Furthermore, APA discloses how to perform the categorization function (e.g., Line 13, P. 16 through Line 3, P. 17), but Ramil, Below, and APA do not explicitly disclose other limitations stated below.

However, in an analogous art of *Method and System for Estimating Software Maintenance*, Adams discloses:

- calculating resources for a larger subset of the computer code from said sampling, wherein at least one of said reading, said sampling, as including a factor for said complexity; (e.g., [0013] - ... estimating the effort and cost for maintaining a software application ... wherein the system and

method take into account maintenance complexities that may result in added effort and cost; Fig. 9, elements 910 – Estimate Size; 920 – Estimate Effort; [0047] - ... Each tallied item is weighted according to its individual complexity. The weighted sum of function points is then adjusted with a multiplier, decreasing, maintaining or increasing the total according to the intricacy of the system ...; [0049] - Using the backfire methodology and a programming language conversion table, source lines of code may be converted into function point equivalents for each programming language utilized. Such tables typically provide conversion factors based on historical evidence, and may take into account system size and complexity ...; [0053] - A significant aspect of the present invention is that after the initial system sizing, sizes of new modifications may be determined using IFPUG function point standards, without backfiring ...; [0065] – The risk driven approach uses ratings and weights determined by evaluating maintenance system properties and accounting for maintenance complexities, to compute an effort multiplier ...; [0082] - ... the size is determined in function points using industry standard IFPUG (International Function Point User Group) function point counting practices that take into account application size and complexity ...)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Adams into the Ramil-Below-APA's system to further provide other limitations stated above in the Ramil-Below-APA system.

The motivation is that it would further enhance the Ramil-Below-APA's system by taking, advancing and/or incorporating the Adams' system which offers advantages for estimating the effort required to maintain software systems, particularly legacy systems, for examples multiple development languages may have been used to create different applications with the systems; and addressing the full range of maintenance tasks over the life cycle of a system as once suggested by Adams (e.g., [0002]; [0008]; [0009])

26. **As to claim 10** (Original) (incorporating the rejection in claim 9), Ramil discloses the method wherein said resources are for at least one of:

- porting said software to another platform;
- maintenance of said software;
- application portfolio management of said software; and
- legacy transformation of said software (e.g., Sec. 1 – Introduction, Lines 1-5 – Software evolution is a continuing process that encompasses not only *ab initio* development but *all* activities, enhancement, adaptation or fixing, that occurs after the first operational release; however, in the present paper we consider only the post first release portion of the evolutionary process; this includes projects for enhancement and adaptation of a current software system and subsumes its maintenance, however the latter is defined; parenthetically we note that, in general and for several reasons, the term evolution is to be preferred to maintenance in the context of software for post first release activity)

27. **As to claim 11** (Original) (incorporating the rejection in claim 9), Below discloses the method further comprising at least one of:

- calculating one or more variabilities of amounts of resources due to sampling error (e.g., Col. 4, Lines 26-41); and
- calculating a probability that amount of resources will be less than the amounts of resources that would have been estimated by using a sample including 100% of the code (e.g., Col. 4, Lines 26-29 – in general, larger samples result in smaller confidence intervals for a given probability level; the challenge is to select the smallest sample (least cost) that will result in an acceptable confidence interval; Col. 4, Lines 19-22 – a confidence interval for the means is an estimate interval constructed with respect to the sample means, with a specified likelihood that the interval includes the value of the population mean)

28. **As to claim 12** (Original) (incorporating the rejection in claim 9), please refer to claim 4 as set forth accordingly.

29. **As to claim 13** (Original) (incorporating the rejection in claim 9), Below discloses the method further comprising:

- reading into a computer at least one of a rule by which said sampling is to be executed, and resource parameters to be used for said calculating (e.g., Col. 3, Line 8 through Col. 4, Line 13; Col. 5, Lines 1-



7; Col. 7, Lines 16-20 – since the stratum size is allowed to vary, this is called disproportionate stratified random sampling; the size of the sample relative to the size of total population of applications will be used as a weighting factor in the final calculations)

30. **As to claim 14** (Original) (incorporating the rejection in claim 9), Below discloses the method further comprising:

- creating at least one of a resource plan and a work breakdown structure based on the calculated resources (e.g., Abstract, Lines 4-6 – results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate)

31. **As to claim 15** (Original) (incorporating the rejection in claim 11), Below discloses the method further comprising:

- creating a risk management plan based on calculated risk parameters (e.g., Col. 4, Lines 26-29 – in general, larger samples result in smaller confidence intervals for a given probability level; the challenge is to select the smallest sample (least cost) that will result in an acceptable confidence interval; Col. 4, Lines 19-22 – a confidence interval for the means is an estimate interval constructed with respect to the sample means, with a specified likelihood that the interval includes the value of the population mean)

Art Unit: 2192

32. **As to claim 16** (Original) (incorporating the rejection in claim 12), please refer to claim **6** as set forth accordingly.

33. **As to claim 17** (Original) (incorporating the rejection in claim 9), please refer to claim **7** as set forth accordingly.

34. **As to claim 18** (Original) (incorporating the rejection in claim 8), please refer to claim **7** as set forth accordingly.

35. **As to claim 19** (Currently Amended), Ramil discloses a business method comprising at least one of:

- estimating a cost for an effort related to at least one of computer software development and information technology (IT) services, said estimating method comprising: (e.g., Fig. 2 – A Model-based Scheme for Change Detection; Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par. – the general idea of such approaches is illustrated in Fig. 2; the change detection scheme, which may involve a model calibrated and believed to represent the evolution process, is run 'in parallel' with the real process it models; the inputs and outputs of the process are statically compared to model's prediction; a significant change in evolvability (or other key parameter) detected by such a scheme any prompt, for example, the need for process revision, major restructuring of the evolving software or even software replacement)

Art Unit: 2192

Ramil discloses statistical comparison to model's prediction (e.g., Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par.), but does not explicitly disclose sampling computer code in accordance with a sampling technique; calculating at least one of a risk probability and an estimation precision for said cost, wherein at least one of said reading, said sampling, and said calculating is executed on a computer; providing a result of said calculating to a party; and receiving said result of said calculating.

However, in an analogous art of *system and method for function point sampling for software size estimates*, Below discloses sampling computer code in accordance with a sampling technique (e.g., Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample); calculating at least one of a risk probability and an estimation precision for said cost (e.g., Col. 4, Lines 26-29 – in general, larger samples result in smaller confidence intervals for a given probability level; the challenge is to select the smallest sample (least cost) that will result in an acceptable confidence interval; Col. 4, Lines 19-22 – a confidence interval for the means is an estimate interval constructed with respect to the sample means, with a specified likelihood that the interval includes the value of the population mean), wherein at least one of said reading, said

Art Unit: 2192

sampling, and said calculating is executed on a computer (e.g., Col. 3, Lines 8-10 – the preferred embodiment provides a system, method, and computer program product for estimating the function point count of a software application or portfolio); providing a result of said calculating to a party; and receiving said result of said calculating (e.g., Col. 1, Lines 37-39 – end of story for process improvement and accurate, reliable operations analysis reporting).

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Below into the Ramil's system to further provide sampling computer code in accordance with a sampling technique; calculating at least one of a risk probability and an estimation precision for said cost, wherein at least one of said reading, said sampling, and said calculating is executed on a computer; providing a result of said calculating to a party; and receiving said result of said calculating in Ramil system.

The motivation is that it would further enhance the Ramil's system by taking, advancing and/or incorporating the Below's system which offers significant advantages for providing a system, method, and computer program product for estimating the function point count of a software application or portfolio as once suggested by Below (e.g., Col. 2, Lines 1-13)

Further, Below discloses a system, method, and computer program product for estimating the function point count for a software application or portfolio; and results are analyzed and quantified, and a confidence interval is

Art Unit: 2192

determined to qualify the accuracy of the estimate (e.g., Abstract) but Ramil and Below do not explicitly disclose other limitations stated below.

However, APA discloses categorizing samples of at least one computer sampling into categories of complexity (e.g., Line 13, P. 16 through Line 3, P. 17 – It should also be apparent to one of ordinary skill in the art that the complexity estimates could also automated. For example, a number of commercially available programs that parse lines of code and thereafter perform some type of function on the parsed code could be used or modified for the categorization function. Examples of such programs include an IBM tool called PortingManager® ... or the tools and services for porting code ... commercially available from a company named MigraTEC®)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Adams into the Ramil-Below's system to further provide other limitations stated above in the Ramil-Below system.

The motivation is that it would further enhance the Ramil-Below's system by taking, advancing and/or incorporating the APA's system which offers advantages of commercially available programs that could be used or modified for the categorization function as once suggested by APA (e.g., Line 13, P. 16 through Line 3, P. 17)

Furthermore, APA discloses how to perform the categorization function (e.g., Line 13, P. 16 through Line 3, P. 17), but Ramil, Below, and APA do not explicitly disclose other limitations stated below.

However, in an analogous art of *Method and System for Estimating Software Maintenance*, Adams discloses:

- calculating said cost for a larger subset of the computer code from said computer code from said sampling (e.g., [0013] - ... estimating the effort and cost for maintaining a software application ... wherein the system and method take into account maintenance complexities that may result in added effort and cost; Fig. 9, elements 910 – Estimate Size; 920 – Estimate Effort; [0047] - ... Each tallied item is weighted according to its individual complexity. The weighted sum of function points is then adjusted with a multiplier, decreasing, maintaining or increasing the total according to the intricacy of the system ...; [0049] - Using the backfire methodology and a programming language conversion table, source lines of code may be converted into function point equivalents for each programming language utilized. Such tables typically provide conversion factors based on historical evidence, and may take into account system size and complexity ...; [0053] - A significant aspect of the present invention is that after the initial system sizing, sizes of new modifications may be determined using IFPUG function point standards, without backfiring ...; [0065] – The risk driven approach uses ratings and weights determined by evaluating maintenance system properties and accounting for maintenance complexities, to compute an effort multiplier ...; [0082] - ... the size is determined in function points using industry standard IFPUG

Art Unit: 2192

(International Function Point User Group) function point counting practices that take into account application size and complexity ...)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Adams into the Ramil-Below-APA's system to further provide other limitations stated above in the Ramil-Below-APA system.

The motivation is that it would further enhance the Ramil-Below-APA's system by taking, advancing and/or incorporating the Adams' system which offers advantages for estimating the effort required to maintain software systems, particularly legacy systems, for examples multiple development languages may have been used to create different applications with the systems; and addressing the full range of maintenance tasks over the life cycle of a system as once suggested by Adams (e.g., [0002]; [0008]; [0009])

36. **As to claim 20** (Original) (incorporating the rejection in claim 19), please refer to claim **10** as set forth accordingly.

37. **As to claim 38** (Original) (incorporating the rejection in claim 9), Below discloses a method for deploying computing infrastructure, comprising integrating computer-readable code into a computing system, wherein the code in combination with the computing system is capable of performing the method of claim 9 (e.g., Col. 3, Lines 8-10 – the preferred embodiment provides a system, method, and computer program product for estimating the function point count of

Art Unit: 2192

a software application or portfolio; Col. 3, Line 14 through Col. 4, Line 13 – the preferred embodiment provides a sampling system and method for estimating a portfolio size, or an application size, without the expense or time required to conduct a complete count (census); this technique can be used to estimate size of a large portfolio as well as on large application; a random sample is taken from each of the strata; this ensures proportionate representation from each of the sub-groups in the sample)

38. Claims 24, 26, 28, 31, and 33-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Below in view of APA and Ramil.

39. **As to claim 24** (Original) (incorporating the rejection in claim 23), Below discloses a system, method, and computer program product for estimating the function point count for a software application or portfolio; and results are analyzed and quantified, and a confidence interval is determined to qualify the accuracy of the estimate (e.g., Abstract) but Below and APA do not explicitly disclose other limitations stated below.

However, in an analogous art of *cost estimation and evolvability monitoring for software evolution processes*, Ramil discloses the apparatus wherein said effort comprises one of: porting said computer code to another platform; maintaining said computer code; performing application portfolio management on said computer code; and performing legacy transformation on said code (e.g., Sec. 1 – Introduction, Lines 1-5 – Software evolution is a



Art Unit: 2192

continuing process that encompasses not only *ab initio* development but *all* activities, enhancement, adaptation or fixing, that occurs after the first operational release; however, in the present paper we consider only the post first release portion of the evolutionary process; this includes projects for enhancement and adaptation of a current software system and subsumes its maintenance, however the latter is defined; parenthetically we note that, in general and for several reasons, the term evolution is to be preferred to maintenance in the context of software for post first release activity)

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to combine the teachings of Ramil into the Below's system to further provide other limitations stated above in Below-APA's system.

The motivation is that it would further enhance the Below-APA's system by taking, advancing and/or incorporating Ramil's system which offers significant advantages which the major cost that system evolution represents in the lifetime of the system and the demands it makes on professional resources, makes it essential to be able to accurately predict, assess and control the cost of adaptation and evolution as once suggested by Ramil (e.g., Sec. of Final Remarks)

40. **As to claim 26** (Previously Presented) (incorporating the rejection in claim 25), Ramil discloses the signal bearing medium wherein said effort comprises one of: porting said computer code to another platform; maintaining said

Art Unit: 2192

computer code; performing application portfolio management on said computer code; and performing legacy transformation on said code (e.g., Sec. 1 – Introduction, Lines 1-5 – Software evolution is a continuing process that encompasses not only *ab initio* development but *all* activities, enhancement, adaptation or fixing, that occurs after the first operational release; however, in the present paper we consider only the post first release portion of the evolutionary process; this includes projects for enhancement and adaptation of a current software system and subsumes its maintenance, however the latter is defined; parenthetically we note that, in general and for several reasons, the term evolution is to be preferred to maintenance in the context of software for post first release activity)

41. **As to claim 28** (Original) (incorporating the rejection in claim 27), please refer to claim **24** as set forth accordingly.

42. **As to claim 31** (Currently Amended) (incorporating the rejection in claim 27), please refer to claim **4** above, accordingly.

43. **As to claim 33** (Original) (incorporating the rejection in claim 32), please refer to claim **24** as set forth accordingly.

44. **As to claim 34** (Original) (incorporating the rejection in claim 32), Ramil discloses the apparatus according further comprising: means for calculating

Art Unit: 2192

amount of necessary resources for a larger subset of the computer code from computer code from sampling (e.g., Fig. 2 – A Model-based Scheme for Change Detection; Sec. 3 – Evolvability Monitoring, 4<sup>th</sup> Par. – the general idea of such approaches is illustrated in Fig. 2; the change detection scheme, which may involve a model calibrated and believed to represent the evolution process, is run 'in parallel' with the real process it models; the inputs and outputs of the process are statically compared to model's prediction; a significant change in evolvability (or other key parameter) detected by such a scheme any prompt, for example, the need for process revision, major restructuring of the evolving software or even software replacement)

### ***Conclusion***

45. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ben C. Wang whose telephone number is 571-270-1240. The examiner can normally be reached on Monday - Friday, 8:00 a.m. - 5:00 p.m., EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tuan Q. Dam can be reached on 571-272-3695. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2192

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ben C Wang/

Ben C. Wang

Examiner, Art Unit 2192

/Tuan Q. Dam/

Supervisory Patent Examiner, Art Unit 2192

